

# RUST REMOVER

## PRODUCT DESCRIPTION

Emirates Rust Remover is a cleaner for metal surfaces. It provides a thin phosphate coating to the cleaned surface, making it prepared for further priming or painting.

## PRODUCT FEATURES

- Easy application
- Highly effective
- Water cleanable
- Enhanced with advanced adhesion and durability
- Acidic odor

## RECOMMENDED USE

This product is recommended for application on iron and steel surfaces. It removes deep, hard rust stains before painting.

\*Used for industrial applications.

## TECHNICAL SPECIFICATIONS

Color	Clear
Appearance	Liquid
Odor	Acidic / Mild
Specific Gravity	1.53 ± 0.05
Flash Point	Water Based



## RUST REMOVER

### APPLICATION DATA

Application Method	Brush, Cotton Cloth, Dipping, Pouring
Thinner	Ready to use
Cleaning / Thinning	Water

### SURFACE PREPARATION

The surface must be clean, dry and free from oil, grease, dust and loose particles prior to application.

### RECOMMENDED SYSTEM

Emirates Rust Remover	1 - 2 Coats
-----------------------	-------------

### METHOD OF USE

1. Apply it to the rusted area
2. Leave it for 15 - 20 minutes to penetrate into the rust
3. Rust will soften and turn into a soluble material
4. Wipe it out and wash it with water
5. Apply an extra coat for any remains



## RUST REMOVER

### HEALTH & SAFETY

*Water based paints are generally quite safe when handled with precaution, we highly recommend you follow your local safety regulations. Avoid inhalation of vapors and paint mist by painting in a well-ventilated area with a suitable mask. As a general rule, please avoid skin and eye contact by wearing the appropriate protective gear. However, if spillage occurs please wash with water. In the case of eye contact and/or ingestion seek medical attention immediately.*

*\*This material contains acids, never keep it in metal cans, use suitable hand gloves and eye protection, and In case of skin contact, wash with plenty of fresh water.*

### STORAGE & HANDLING

We highly recommend storing our paint in proper storage conditions as per your local regulations. Keep the paint container sealed and away from direct sunlight and extreme temperatures. Do not keep paint material near any ignition sources. Do not return the half or unused material back to the original container containing the supplied paint to avoid contamination. Handle with care and mix well before use.

### SHELF LIFE

\*For best results, please use within 18 months of the production date.

\*Shelf life can be highly affected by storage conditions, in particular, the method of sealing the container.

### DISCLAIMER

*The data provided is based on our present state of knowledge and is intended to provide general information about our product and its uses. Emirates Paints will not be responsible for any claims after the product had been used without proper testing. Any existing industrial property rights must be observed. The quality of our product is guaranteed under our general conditions of sales.*

