

PAINT REMOVER

PRODUCT DESCRIPTION

Emirates Paint Remover is a highly effective chemical cleaner designed to remove paint films and varnish films from different surfaces.

PRODUCT FEATURES

- Effective Coating Removal
- Fast-Acting Formula
- Easy Rinse and Clean-Up

RECOMMENDED USE

To remove all types of dried paint and varnish films from various surfaces, like metals, concrete, plaster, glass, etc.

*Used for industrial applications.

TECHNICAL SPECIFICATIONS

Color	Transparent
Appearance	Fluffy thick liquid
Spreading Rate	The spreading rate will depend on various factors e.g. surface nature, paint, or varnish film thickness. The quality and type of paint film etc.
Special precaution	Use hand gloves, while using Emirates Paint remover. It should not come in contact with the skin. In case of any accidental skin contact, wash the affected area with fresh water.
Packaging Size	0.9L + 3.6L
Flash Point	Non-flammable



PAINT REMOVER

APPLICATION DATA

Application Method	Brush or scrapper or stiff brush
--------------------	----------------------------------

Thinner (Volume)	Ready to use
------------------	--------------

SURFACE PREPARATION

The surface must be clean, dry, and free from oil, grease, dust, and loose particles before application.

RECOMMENDED SYSTEM

Application Method	<ol style="list-style-type: none">1- Apply a thick coat of Emirates Paint Remover on the old paint film2- Allow it to react for 5 - 10 minutes, during that time the paint film will be soft.3- Soften film, along with excess chemicals can easily be removed with a knife or scrapper.4- If the film is very thick or hard, it may be necessary to repeat the process more than once.5- After complete removal of the paint film, wash the surface with fresh water.
--------------------	--



PAINT REMOVER

HEALTH & SAFETY

Oil-based (solvent-based) paints require extra precautions due to their fumes and flammability. We highly recommend following your local safety regulations. Ensure you are working in a well-ventilated space to reduce the inhalation of harmful vapors and wear a suitable respirator mask when painting in enclosed areas. To avoid skin and eye contact, always wear protective gear such as solvent-resistant gloves and goggles. In case of skin contact, wash thoroughly with soap and water. If the paint gets into your eyes or is accidentally ingested, seek medical attention immediately. Please keep paints and solvents out of the reach of children and pets.

STORAGE & HANDLING

We highly recommend storing our paints in proper storage conditions as per your local regulations. Keep the paint container tightly sealed and away from direct sunlight and extreme temperatures. Ensure oil-based paints are stored away from any ignition sources, such as heat, sparks, or open flames, due to their flammability. Do not return unused paint to the original container to prevent contamination. For disposal, follow local hazardous waste protocols. Avoid washing brushes or spills down drains, as these paints require special disposal. Handle with care and mix thoroughly before use.

SHELF LIFE

*For best results, please use within 18 months of the production date.

*Shelf life can be highly affected by storage conditions, in particular, the method of sealing the container.

DISCLAIMER

The data provided is based on our present state of knowledge and is intended to provide general information about our product and its uses. Emirates Paints will not be responsible for any claims after the product had been used without proper testing. Any existing industrial property rights must be observed. The quality of our product is guaranteed under our general conditions of sales.

